

**F. No. 6/10/2022 - DGTR**  
**Government of India**  
**Ministry of Commerce & Industry**  
**Directorate General of Trade Remedies**  
**4th Floor, Jeevan Tara Building, 5, Parliament Street, New Delhi – 110001**

Dated: 13<sup>th</sup> December, 2022

To,

All interested parties

**Subject: - Final PCN methodology - Anti-dumping investigation concerning imports of Toughened glass for home appliances having thickness between 1.8 MM to 8 MM and area of 0.4 SqM or less originating in or exported from China PR**

This has reference to the Initiation Notification F. No. 6/10/2022 dated 30<sup>th</sup> September 2022 *vide* which suggestions/comments were invited from all interested parties regarding product control numbers (PCNs) and the scope of the product under consideration (PUC). The comments received from all the interested parties pursuant to the meeting held on 23<sup>rd</sup> November 2022 have been examined and the final PCN methodology adopted is mentioned as under:

S. No.	PCN Criteria	Description	PCN Code
1.	Category of Appliances	Refrigerator Cooktop/stove Washing Machine Microwave/OTG/Oven Chimney Induction Any other toughened glass used for home appliances	R K W M Y I O
2.	Thickness	1.8 mm to 3.2 mm above 3.2 MM till 5 MM above 5 MM till 8 MM	32 50 80
3.	Colour (Tint)	Tinted Clear	T N
4.	Curvature	Curved Flat	C F
5.	Shape	Rectangular Non-Rectangular	RE NR

**Example of the proposed PCN:**

Tinted rectangular curved glass having thickness of 3.2mm for Washing Machine:

Appliance	Category	Thickness	Colour	Curvature	Shape	PCN
Washing Machine	W	32	T	C	RE	W-32-T-C-RE

2. **Exclusions from the scope of the PUC:** It is clarified that the following goods have been excluded from the scope of the PUC:
  - a. Toughened glass used in glass lids of utensils
  - b. Toughened glass used in electronic switch and switch board panels
  - c. Toughened glass used in Double Glazed Unit (DGU)
3. It is informed to all the interested parties that the abovementioned methodology is the final PCN methodology. No further modification/comments/arguments would be entertained by the Authority regarding the PCNs.
4. In view of the above, all interested parties are requested to file questionnaire responses in accordance with the PCN methodology latest by 28<sup>th</sup> December, 2022. No further extension of time shall be granted by the Authority to file the questionnaire responses as anti-dumping investigations are time bound.
5. This issues with the approval of the Designated Authority.

**-Sd-**  
**(Arti Bangia)**  
**Deputy Director**  
**Ph. No. 011-23408709**  
**E-mail: [dd12-dgtr@gov.in](mailto:dd12-dgtr@gov.in)**